

### Appropriate Use:

This document is provided to you for your own personal use. Upon downloading, you agree to share the document in its entirety. No piece should be removed from the context. The product may be displayed in public settings or provided to individuals as a whole. You agree to not alter or modify this content.

You may share this resource on public sites and on social media provided OT unLIMBited is properly attributed in the post by name and a link to www.otunlimbited.com or an Instagram (@ot.unlimbited) or Facebook (OT Unlimbited) tag.

### Thank you for your honesty!

### Intended Use:

I create these resources with the intended use of them being educational and advocational for individuals with limb loss and prosthetic devices and the occupational therapy profession as a whole. It is expected these products will be shared both in print form and electronically, as well as posted in public settings as appropriate.

\*Products are not intended to be altered or sold! You may NOT use these items for sale or profit!

If you notice any typos or mistakes or have any questions please feel free to email me directly at otunlimbited@gmail.com.

If you are looking for more (free) resources - reference guides, intervention ideas, and more - please visit otunlimbited.com!

Follow along on Instagram @ot.unlimbited or Facebook at OT Unlimbited

Tori Martin

COMMON TERMINOLOGY

UEA: acronym for an Upper Extremity Amputation

- AE: acronym for Above-the-Elbow also known as transhumeral
- BE: acronym for Below-the-Elbow also known as transradial

LEA: acronym for a Lower Extremity Amputation

- AK: acronym for Above-the-Knee also known as transfemoral
- BK: acronym for Below-the-Knee also known as transtibial

limb loss Terms

- \* Residual Limb: the portion of the arm or leg remaining after an amputation sometimes referred to as a stump or residuum
- \* Revision: surgical modification of the residual limb
- \* Stump: a word commonly used to refer to the residual limb
- \* Extremity: another word for limb, refers to an arm or leg

Symptoms

Chantom Pain: pain that fools like it is coming fr

- $^{\star}$  Phantom Pain: pain that feels like it is coming from the part of the body that is missing
- \* Phantom Sensation: the feeling that the missing body part is still there, uncomfortable but not necessarily painful burning, tingling, or itching
- \* Atrophy: decrease in the size, wasting away of body tissue, muscle mass, or organs due to decrease in function and/or use
- \* Contracture: tightening of muscles around a joint resulting in restricted movement
- \* Edema: type of localized swelling, characterized by excessive fluid in body tissues
- $^{\star}$  Comorbidity: a coexisting or additional disease or illness
- \* Neuropathy: abnormal or degenerative state of the nervous system; decreased sense of feeling in feet or other extremities



# Procedures/Techniques

- \* Debridement: cleaning of a wound by removal of necrotic or infected cells
- \* Desensitization: reducing or removing any form of sensitivity in the residual limb



- \* Anterior: the front portion; to the front
- \* Posterior: the back portion; to the back
- \* Lateral: the side portion; to the side
- \* Medial: the middle portion; toward the middle
- \* Distal: end of residual limb. Part furthest from the central portion of the body
- \* Proximal: part closest to the central portion of the body
- \* Contralateral: opposite side of the body

# Prosthetic Terms

- \* Prosthetist: professional who designs, fabricates, and fits prostheses (includes socket and all associated components)
- \* Prosthesis: an artificial body part that substitutes or supplements a missing part of the body
- \* Socket: portion of the prosthesis that wraps around residual limb
- \* Liners: material placed directly over skin; a barrier between the socket and the residual limb
- \* Socks: material of varying ply to adjust the fit of the socket during times of volume changes
- \* Prosthetic Technology: refers to the componentry that makes up the prosthesis
- \* Suspension: how the prosthesis attaches to the body
- \* Terminal Device: component on distal aspect (furthest from body) passive, moveable, articulated, maybe be activity specific

# Therapy/Rehabilitation Terms

- \* Donning: putting on prosthesis/clothing item
- \* Doffing: taking off prosthesis/clothing item
- \* Assistive/Adaptive Equipment: devices that assist in activities or with mobility (i.e., ramps, grab bars, canes, walkers, reachers, etc.)
- \* Gait: a manner of walking

#### References

Amputee Coalition. (2008). Fact sheet: Limb loss definitions. <a href="https://www.amputee-coalition.org/resources/limb-loss-definitions/">https://www.amputee-coalition.org/resources/limb-loss-definitions/</a>

Hanger Clinic. (n.d.). Sockets, liners, & accessories.

https://hangerclinic.com/prosthetics/socketsliners-accessories/

Latour, D. (2015, May 4). Series: Upper Limb Prosthetics. [On-Demand Webinar]. OccupationalTherapy.com

https://www.occupationaltherapy.com/ot-ceus/course/upper-limb-prosthetic-serie

## Common Terminology

UEA: acronym for an Upper Extremity Amputation

- AE: acronym for Above-the-Elbow also known as transhumeral
- BE: acronym for Below-the-Elbow also known as transradial

Level Charles

LEA: acronym for a Lower Extremity Amputation

- AK: acronym for Above-the-Knee also known as transfemoral
- BK: acronym for Below-the-Knee also known as transtibial

limb loss Terms

- \* Residual Limb: the portion of the arm or leg remaining after an amputation sometimes referred to as a stump or residuum
- \* Revision: surgical modification of the residual limb
- \* Stump: a word commonly used to refer to the residual limb
- \* Extremity: another word for limb, refers to an arm or leg

Symptoms

- \* Phantom Pain: pain that feels like it is coming from the part of the body that is missing
- \* Phantom Sensation: the feeling that the missing body part is still there, uncomfortable but not necessarily painful burning, tingling, or itching
- \* Atrophy: decrease in the size, wasting away of body tissue, muscle mass, or organs due to decrease in function and/or use
- \* Contracture: tightening of muscles around a joint resulting in restricted movement
- \* Edema: type of localized swelling, characterized by excessive fluid in body tissues
- \* Comorbidity: a coexisting or additional disease or illness
- \* Neuropathy: abnormal or degenerative state of the nervous system; decreased sense of feeling in feet or other extremities



## Common Terminology

Procedures/Techniques

- \* Debridement: cleaning of a wound by removal of necrotic or infected cells
- \* Desensitization: reducing or removing any form of sensitivity in the residual limb

Directional Terms

- \* Anterior: the front portion; to the front
- \* Posterior: the back portion; to the back
- \* Lateral: the side portion; to the side
- \* Medial: the middle portion; toward the middle
- \* Distal: end of residual limb. Part furthest from the central portion of the body
- \* Proximal: part closest to the central portion of the body
- \* Contralateral: opposite side of the body

Therapy/Rehabilitation Terms

- \* Donning: putting on prosthesis/clothing item
- \* Doffing: taking off prosthesis/clothing item
- \* Assistive/Adaptive Equipment: devices that assist in activities or with mobility (i.e., ramps, grab bars, canes, walkers, reachers, etc.)
- \* Gait: a manner of walking



## Common Terminology

Prosthetic Terms

- \* Prosthetist: professional who designs, fabricates, and fits prostheses (includes socket and all associated components)
- \* Prosthesis: an artificial body part that substitutes or supplements a missing part of the body
- \* Socket: portion of prosthesis that wraps around the residual limb
- \* Liners: material placed directly over skin, a barrier between the socket and the residual limb
- \* Socks: material of varying ply to adjust the fit of the socket during times of volume changes
- \* Prosthetic Technology: refers to the componentry that makes up the prosthesis
- \* Suspension: how the prosthesis attaches to the body
- \* Terminal Device: components on the distal aspect (furthest from body) passive, moveable, articulated, maybe be activity specific



#### References

Amputee Coalition. (2008). Fact sheet: Limb loss definitions. https://www.amputee-coalition.org/resources/limb-loss-definitions/

Hanger Clinic. (n.d.). Sockets, liners, & accessories. https://hangerclinic.com/prosthetics/sockets-liners-accessories/